



VIII Всероссийское
литологическое совещание

ЭВОЛЮЦИЯ ОСАДОЧНЫХ ПРОЦЕССОВ В ИСТОРИИ ЗЕМЛИ



Материалы

ТОМ II

РОССИЙСКАЯ АКАДЕМИЯ НАУК

**НАУЧНЫЙ СОВЕТ ПО ПРОБЛЕМАМ ЛИТОЛОГИИ
И ОСАДОЧНЫХ ПОЛЕЗНЫХ ИСКОПАЕМЫХ ПРИ ОНЗ РАН**

**РОССИЙСКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
НЕФТИ И ГАЗА ИМЕНИ И.М. ГУБКИНА**

РОССИЙСКИЙ ФОНД ФУНДАМЕНТАЛЬНЫХ ИССЛЕДОВАНИЙ

ИНСТИТУТ ПРОБЛЕМ НЕФТИ И ГАЗА РАН



ОПТЭК
Объединяя решения

**МОСКВА
2015**

РОССИЙСКАЯ АКАДЕМИЯ НАУК

**НАУЧНЫЙ СОВЕТ ПО ПРОБЛЕМАМ ЛИТОЛОГИИ И ОСАДОЧНЫХ ПОЛЕЗНЫХ
ИСКОПАЕМЫХ ПРИ ОНЗ РАН (НС ЛОПИ ОНЗ РАН)**

**РОССИЙСКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
НЕФТИ И ГАЗА ИМЕНИ И.М. ГУБКИНА**

РОССИЙСКИЙ ФОНД ФУНДАМЕНТАЛЬНЫХ ИССЛЕДОВАНИЙ



**ЭВОЛЮЦИЯ ОСАДОЧНЫХ ПРОЦЕССОВ
В ИСТОРИИ ЗЕМЛИ**

Материалы

VIII Всероссийского литологического совещания

(Москва, 27-30 октября 2015 г.)

Том II

**РГУ НЕФТИ И ГАЗА ИМЕНИ И.М. ГУБКИНА
2015 г.**

УДК 552.5
Э 15

Э 15 **Эволюция осадочных процессов в истории Земли:** материалы 8-го Всероссийского литологического совещания (Москва, 27-30 октября 2015 г). – Москва: РГУ нефти и газа имени И.М. Губкина, 2015- Том I. – 492 с.

ISBN 978-5-91961-134-9

Сборник трудов содержит материалы докладов, представленных на 8-м Всероссийском литологическом совещании (Москва, 27-30 октября 2015г.), посвященном рассмотрению эволюции осадочного процесса в истории Земли, изучению осадочных пород, их генезиса (включая рудогенез), а также рассмотрению современного состояния литологических исследований в России.

Сборник предназначен для широкого круга геологов и других специалистов, работающих в области исследования пород, а также преподавателей и студентов геологических ВУЗов.

Материалы совещания опубликованы при финансовой поддержке Российского фонда фундаментальных исследований (грант № 15-05-20868)

Ответственные редакторы
А.Н. Дмитриевский, О.В. Япаскурт, О.В. Постникова

Редколлегия
А.В. Постников, Н.А. Осинцева, И.А. Китаева

Технический редактор
В.В. Пошибаев

Публикация выполнена с авторских оригиналов
с незначительными редакционными правками

© Научный совет по проблемам литологии и осадочных полезных ископаемых при ОНЗ РАН, 2015;

© Российский государственный университет нефти и газа имени И.М. Губкина

OROGENESIS: CAUSE OF SEDIMENTARY FORMATIONS

R.Dilly¹, G.Berthault², I.Wilders³

¹*Terra Solution, Rolla (USA), e-mail:dillyra.terra@gmail.com*

²*Geological Society of France, Maulan, e-mail: berthault.guy@orange.fr*

³*APCS, France, e-mail: iwilders@gmail.com*

Experiments on stratification discussed here have revealed the mechanical nature of lamination as well as the role of turbulent current as agent of stratification. They challenge Steno's principle that superposed strata are successive sedimentary layers. They show that relative chronology should not be referred to as "stages" but as "sequences" of series. The rock formation studied by Lalomov shows that the duration of sedimentation could be considerably shorter than indicated by the Geological Time Scale. The latter scale corresponds to large marine transgressions and regressions that can result from the shift of polar axis following such major orogeneses as the Caledonian, Hercynian and Alpine.

Experiments on stratification discussed here have revealed the mechanical nature of lamination as well as the role of turbulent current as agent of stratification. They challenge Steno's principle that superposed strata are successive sedimentary layers. They show that relative chronology should not be referred to as "stages" but as "sequences" of series. The latter scale corresponds to large marine transgressions and regressions that can result from the shift of polar axis following such major orogeneses as the Caledonian, Hercynian and Alpine.

Much of sedimentology is based on Nicolas Steno's principle i.e. that superposition of strata leads to a succession of sedimentary layers. However, some stratification experiments discussed here call for questioning this principle. Performed lamination experiments [1, 2] demonstrated that a lamination was immediately reconstituted in the ensuing deposit.

Further work by Julien [9], in which a pump circulated sand-laden water in a flume, showed that sand particles indeed deposited accordingly to the velocity of the turbulent current. The sedimentary deposit consisted of superposed and juxtaposed strata which prograded laterally in the direction of the current which contradicts Steno's principle of superposition.

Thus, the turbulent flow generates graded-bedding. When the velocity of the current increases, it becomes erosive, creating erosion surfaces in the deposit. These results show that the current is an essential agent of stratification, which has been overlooked in conventional stratigraphy. Therefore, Steno's principle has to be critically reviewed in light of new experimental data.

Golovinski and Walther's law of sequence stratigraphy states: "Only those facies and facies areas can be superimposed primarily which can be observed beside each other at the present time". As shown in [3], the superposed and juxtaposed facies constitute a sequence resulting from a marine transgression or regression. A succession of sequences included between an initial transgression and

a final regression is a “series”. The data from sequence stratigraphy and the afore-mentioned experiments show that a series corresponds to a period. Sedimentation, therefore, must be considered as the basic reference of relative chronology instead of stage.

A process to determine sedimentation duration is as follows:

The Lebediev’s table [4] gives the critical velocity of current below which particles fall according to their size and the depth of water. Thus, it is possible, from the sizes of particles in a sedimentary rock formation, to determine the velocities of the paleocurrents. These velocities, integrated into the formula of sedimentary mechanics, give the sedimentary transport capacity by units of time and volume. Dividing the volume of the formation under study by this capacity, the time of sedimentation of the formation can be obtained by Einstein method. In particular, [6] showed that Cambrian Ordovician sandstone in the St. Petersburg region represents less than 0.05% of the time attributed to it by the stratigraphic time scale.

This result does not take into account the velocity of the erosive currents which created such rocks as conglomerates. Experiments on sedimentary slabs (sandstone, shale, limestone) were performed at the Saint Petersburg Institute of Hydrology [7]. For consolidated rocks erosion started when the velocity of current reached 27 m/s. Importantly, Marchal [10] has demonstrated that mountain orogenesis provoked a shift of the axis of rotation of the Earth triggering large marine series. It is significant that, in the geological column since the Cambrian period, eighteen marine series, or systems, are interbedded between nineteen orogeneses, which occurred in different places around the Earth.

As reported in the Bulletin of the Museum of Natural History of Paris [10], the North Pole in the Eocene, before the Himalayan orogenesis, was off the mouth of the river Ienissei in Siberia, by 72 degrees latitude. After the orogenesis, it was near to its present position resulting in an eighteen degree polar shift.

The direction of transgressions and regressions following each orogenesis corresponds to the succession of resulting sequential facies, such as sandstone, shale and limestone as seen from the surface of the deposit. An example was given in Berthault [5]. The Tonto group is assigned to Cambrian. It proceeded from the Cadomian orogenesis, at the beginning of the Cambrian; and resulted from a transgression going from the Pacific Ocean in the west to New Mexico in the east. Other directions can be determined from other orogenesis which occurred elsewhere around the Earth.

Contemporaneous marine fauna vary according to depth, latitude, and longitude and such ecological diversification exists in the geological column. The apparent change of fossilized marine organisms from one series to another following an orogenesis can result from different fauna, transported by water flows from different locations resulting from successive orogeneses. What has

been attributed to biological change could be ecological in nature explained by fauna coming from different orogeneses, taking into account the short time of sedimentation.

In conclusion, a relationship can be established between cause and effect. Orogenesis, which can result from periodic mantle plumes, causes shifting of the polar axes, which then leads to consecutive marine series and sedimentary deposits. The duration of the latter is much shorter than given by the stratigraphic time scale and so calls for a serious revision of the foundation of historical geology [8].

More details and main references can be observed at www.sedimentology.fr.

References:

1. Berthault, G., *Sédimentologie: Expériences sur la lamination des sédiments par granoclassement périodique postérieur au dépôt*. C.R. Acad. Sc., 1986, vol. 303, Ser., 2, no. 17, pp. 1569-1574.
2. Berthault, G., *Sedimentation of a Heterogranular Mixture. Experimental Lamination in Still and Running Water*, C.R. Acad. Sc., 1988, vol. 306, Serie II, pp. 717-724.
3. Berthault, G., *Analysis of main principles of stratigraphy on the basis of experimental data // Lithology and Mineral Resources.*, 2002, no 5, pp. 442 – 446.
4. Berthault, G., *Geological Dating Principles Questioned Paleohydraulics a New Approach //Journal of Geodesy and Geodynamics*, Vol. 22, No. 3, 2002, pp. 19-26.
5. Berthault, G. *Sedimentological Interpretation of the Tonto Group Stratigraphy. Grand Canyon Colorado River // Lithology and Mineral Resources*, Vol. 39, No. 5, 2004, pp. 504-508.
6. Berthault, G., A. Lalomov and M. A. Tugarova. *Reconstruction of Paleolithodynamic Formation Conditions of Cambrian-Ordovician Sandstones in the Northwestern Russian Platform // Lithology and Mineral Resources*, Vol. 46, No. 1, 2011, pp. 60-70.
7. Berthault, G., A. L. Veksler, V. M. Donenberg and A. Lalomov // *Research on Erosion of Consolidated and Semi-Consolidated Soils by High Speed Water Flow*. Izvestia VMG, Vol. 257, 2010, pp. 10-22.
8. Berthault, G. *Towards a Refoundation of Historical Geology // Georesources*, 2012, pp. 4-36.
9. Julien, P.Y., Lan, Y., and Berthault, G., *Experiments on Stratification of Heterogeneous Sand Mixtures*, Bull. Soc. Geol. France, 1993, vol. 164, no. 5, pp. 649-660.
10. Marchal C., *Earth's Polar Displacements of Large Amplitude. A Possible Mechanism //Bulletin du Museum National d'Histoire Naturelle. Paris. 4th 18, Errata Geodiversitas*, Vol . 19, No. 1, 1997, p. 139